

said web material.

12. The reclosable bag of claim 11 wherein the predetermined dimension is width.

5

13. The reclosable bag of claim 11 wherein the predetermined dimension is length.

10

14. The reclosable bag of claim 1 wherein said areas of structural weakness extend across a predetermined dimension of said sheet of web material in a predetermined pattern.

15

15. The reclosable bag of claim 1 wherein said areas of structural weakness comprise perforations.

20

16. The reclosable bag of claim 1 wherein said areas of structural weakness comprise scoring.

17. The reclosable bag of claim 1 wherein said areas of structural weakness comprise microperforations.

25

18. The reclosable bag of claim 1 wherein said sheet of web material is comprised of a multiple laminate film.

30

19. The reclosable bag of claim 18 wherein said multiple laminate film includes at least one layer of material comprising a tear path.

20. The reclosable bag of claim 19 wherein said tear path is hermetic.

21. A reclosable bag for filling with at least one
5 food product, said reclosable bag comprising: at
least one sheet of web material including a first
area of structural weakness and a second area of
structural weakness; said sheet of web material
10 including at least one fold structure located
between and defined by said first and second areas
of structural weakness, and a fill opening; said
sheet of web material including a first panel
coupled to said fold structure adjacent said first
15 area of structural weakness and a second panel
coupled to said fold structure adjacent said
second area of structural weakness; a reclosable
fastener structure including a male track
structure and a female track structure; said male
20 track structure including a first fin structure of
web material extending therefrom and said female
track structure including a second fin structure
of web material extending therefrom; each said fin
structure including a predetermined coupling
25 portion; said coupling portion of said first fin
structure being coupled to said first panel and
said coupling portion of said second fin structure
being coupled to said second panel; said
reclosable fastener structure extending past said
30 areas of structural weakness and into said fold
structure; said areas of structural weakness being
located below said reclosable fastener structure;
said reclosable bag capable of being filled with

at least one food product through said fill opening.

22. The reclosable bag of claim 21 wherein said
5 areas of structural weakness are hermetic.

23. The reclosable bag of claim 21 wherein said
fill opening is located generally opposite said
fold structure.
10

24. The reclosable bag of claim 21 wherein said
first fin structure is larger than said second fin
structure.

25. The reclosable bag of claim 21 wherein said
first fin structure and said second fin structure
each include a distal margin; said distal margins
facing each other and at least one distal margin
being coated with a releasable adhesive material.
15

26. The reclosable bag of claim 25 wherein said
distal margins are releasably coupled to each
other by said releasable adhesive material.
20

27. The reclosable bag of claim 25 wherein at least
one said distal margin is coated with said
releasable adhesive material and said distal
margin is coupled to a predetermined portion of
said web material.
25

28. The reclosable bag of claim 21 wherein said
first fin structure and said second fin structure
30